

# GOOD DROP PAINT

## Section 1 - Identification of the Material and Supplier

Good Drop Paint Pty Ltd  
8/10 Carrington Rd  
Marrickville, NSW 2204

Phone: 0450 633 644  
Email: hello@gooddroppaint.com.au

Chemical Nature:	Water based acrylic paint
Trade Name:	Good Drop Paint Pty Ltd
Product Use:	Suitable for use as a protective and decorative coating on interior substrates [cite: 96]. Applied by brush, roller, conventional spray or airless spray [cite: 96].
Creation Date:	May 2016
This version issued:	1st May 2021 and is valid for 5 years from this date.
Poisons Information Centre	Phone 13 1126 from anywhere in Australia

## Section 2 - Hazards Identification

Statement of Hazardous:	This product is: Not classified as hazardous according to the criteria of SWA. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.
Risk Phrases:	Not Hazardous - No criteria found.
Safety Phrases:	S23, S36, S24/25. Do not breathe vapours or spray mists. Wear suitable protective clothing. Avoid contact with skin and eyes.
SUSMP Classification:	None allocated.
ADG Classification:	None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.
UN Number:	None allocated
GHS Signal Word:	NONE. Not hazardous[cite: 99].
Major Health Hazards:	No significant risk factors have been found for this product[cite: 102].

### SAFETY DATA SHEET

# GOOD DROP PAINT

Prevention	P102: Keep out of reach of children. P262: Do not get in eyes, on skin, or on clothing. P281: Use personal protective equipment as required.
Response	P352: Wash with plenty of soap and water. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P370+P378: Not combustible. Use extinguishing media suited to burning materials.
Storage	P403: Store in a well-ventilated place. P402+P404: Store in a dry place. Store in a closed container.
Disposal	P501: If they cannot be recycled, dispose of contents to an approved waste disposal plant and containers to landfill (see Section 13 of this SDS).

## Emergency Overview

Physical Description & Colour:	White or tinted viscous liquid.
Odour:	Mild, characteristic odour.
Major Health Hazards:	No significant risk factors have been found for this product.

## Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc. %
Pigments	various	30-60% [cite: 103]
Synthetic polymers	secret	30-60% [cite: 103]
Water	7732-18-5	10-30% [cite: 103]
Other nonhazardous ingredients	various	to 100% [cite: 103]

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other nonhazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

## SAFETY DATA SHEET

# GOOD DROP PAINT

## Section 4 - First Aid Measures

**General Information:** You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

**Eye Contact:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

## Section 5 - Fire Fighting Measures

<b>Fire and Explosion Hazards:</b>	<p>The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.</p> <p>This product is likely to decompose only after heating to dryness, followed by further strong heating.</p> <p>Fire decomposition products from this product are likely to be irritating if inhaled.</p>
<b>Extinguishing Media:</b>	Not combustible. Use extinguishing media suited to burning materials.
<b>Fire Fighting:</b>	If a significant quantity of this product is involved in a fire, call the fire brigade.
<b>Flash Point:</b>	Does not burn.
<b>Upper Flammability Limit:</b>	Does not burn.
<b>Lower Flammability Limit:</b>	Does not burn.
<b>Autoignition Temperature:</b>	Not applicable - does not burn.
<b>Flammability Class:</b>	Does not burn.

### SAFETY DATA SHEET

# GOOD DROP PAINT

## Section 6 - Accidental Release Measures

<b>Accidental Release:</b>	<p>Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the clean-up area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).</p> <p>Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.</p>
----------------------------	--

## Section 7 - Handling and Storage

<b>Handling:</b>	Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.
<b>Storage:</b>	Make sure that containers of this product are kept tightly closed. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

## Section 8 - Exposure Controls and Personal Protection

**The following Australian Standards will provide general advice regarding safety clothing and equipment:** Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008,

### SAFETY DATA SHEET

# GOOD DROP PAINT

**Industrial Eye Protection:** AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

**SWA Exposure Limits: TWA (mg/m<sup>3</sup>) STEL (mg/m<sup>3</sup>)**

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber, PVC.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

## Section 9 - Physical and Chemical Properties:

Physical Description & Colour	White or tinted viscous liquid.
Odour:	Mild, characteristic odour.
Boiling Point:	Approximately 100°C at 100kPa.
Freezing / Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	Water component.
Vapour Pressure:	2.37 kPa at 20°C (water vapour pressure).
Vapour Density:	As for water.

## SAFETY DATA SHEET

# GOOD DROP PAINT

Specific Gravity:	1.0-1.4
Water Solubility:	Miscible
pH:	8-10 (as supplied)
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	As for water.
Co-eff Oil/water Distribution:	No data
Auto-ignition temp:	Not applicable - does not burn.

## Section 10 - Stability and Reactivity

Reactivity	This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.
Conditions to Avoid:	Keep containers tightly closed.
Incompatibilities	Oxidising agents.
Fire Decomposition:	This product is likely to decompose only after heating to dryness, followed by further strong heating. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.
Polymerisation	This product will not undergo polymerisation reactions.

## Section 11 - Toxicological Information

Target Organs:	There is no data to hand indicating any particular target organs.
----------------	---

Exposure Route	Potential Effect
Inhalation	Unlikely to cause any discomfort or irritation in the short term[cite: 254].
Skin Contact	Should present no hazards in normal use[cite: 257]. May cause mild

### SAFETY DATA SHEET

# GOOD DROP PAINT

	transient discomfort[cite: 257].
Eye Contact	Unlikely to cause anything more than mild transient discomfort[cite: 260].
Ingestion	Significant oral exposure is unlikely[cite: 263]. May cause transient discomfort to mucous membranes[cite: 264].

Classification of Hazardous Ingredients: No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

## Section 12 - Ecological Information

Insufficient data to be sure of status.

## Section 13 - Disposal Considerations

If possible, recycle product and containers. If not practical, send to a commercial waste disposal site.

## Section 14 - Transport Information

This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

## Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

## Section 16 - Other Information

Acronym	Definition
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)
AICS	Australian Inventory of Chemical Substances
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)

## SAFETY DATA SHEET

# GOOD DROP PAINT

R-Phrase	Risk Phrase
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

**This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled and used in the workplace. Please read all labels carefully before using the product.**

**This SDS is prepared in accord with the SWA document “Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice” (February 2016)**

## SAFETY DATA SHEET

Issued by: Good Drop Paint Pty Ltd

Phone: 0450 633 644

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)